SUBJECT INDEX

Acid digestion (AD), pp. 633–635
Acoustic emission (AE), pp. 19, 20–27, 66–67
Additivity, pp. 291–294
Aqueous process, p. 475
Arall laminates, p. 410
Areal analysis, p. 630
ASTM C273-61, pp. 345, 347–351
ASTM C297-61, pp. 342, 344–346
ASTM C365-57, pp. 339–343
ASTM C393-62, pp. 351–355
Axial impact, p. 299
Bending failure, p. 299
Bibliography (fibre reinforced polymers), pp. 186–187, 485–486
Bio-implant material, p. 181
Box beams, pp. 370, 373–396
Carboxyl-terminated butadiene acrylonitrile (CTBN), pp. 312, 314
Ceramic whiskers, pp. 314–315, 324–326
Coextrusion flow, pp. 358–360
Compliance, p. 94
Composites
  acrylic, p. 167
  aramid/epoxy, pp. 410–411
  boron/epoxy, pp. 156–157, 243, 252–253, 255, 374–375, 452–453
  carbon-carbon, pp. 259–261
  carbon/epoxy, pp. 56–66, 243–246, 404–407
  determination of safety factors in, p. 584
  fiber, pp. 27–38
  glass/epoxy, pp. 47–50, 156–164, 247–250, 374–375, 452, 454–456, 557
  glass/polyester, pp. 219, 224, 226
  graphite/epoxy, pp. 47, 51–52, 80, 92, 107, 163–165, 219, 224–226, 273–274, 290, 293, 295, 299–301, 376–377, 433–434, 459, 467, 469, 556–557
  kevlar/epoxy, pp. 273–274, 291, 293, 296, 376–377, 404–406, 556
  Modmor 1, pp. 374–377
  multidirectional fiber, p. 538
  PE/epoxy, pp. 273–274, 292, 295, 297
  PET/epoxy, pp. 273–274, 292, 294, 296
  PMMA, pp. 172, 179
  random fiber reinforced, p. 475
  thermoplastic, p. 473
  3-D, pp. 538–539
  unidirectional, pp. 109, 126–129
Composite sandwich panels, pp. 270–271, 277–285
Comprehensive technique, p. 589, 591–594
Compression, pp. 133–134
Connecting rod, pp. 399–400
Contact algorithm, pp. 462–463
Controlled interlaminar bonding (CIB), pp. 542–544, 555
Core density effects, pp. 285–290
Core materials, pp. 336–339, 433
Crack opening displacement (COD), p. 69
Crack pinning, pp. 313, 318, 322, 331–332
Cure monitoring, p. 422
Cyclic response, pp. 416–417, 419
Cylinders, filament wound, p. 212
Damage resistance, pp. 436–437
Damage zone, pp. 138, 141–144
Debonding, p. 440
Delamination
  effects on laminate structural integrity, pp. 15–16
  evaluation of durability and damage tolerance, pp. 91–92
  free-edge pocket, pp. 13, 14, 541–542, 547, 552–553
  of graphite/epoxy sandwich panels, pp. 437, 439
  interior, p. 14
  physical behavior of, pp. 96–99
  prediction of initiation of, pp. 86–88
  types of, pp. 7–8
Die, annular, pp. 365–367
Die, circular, pp. 363–365
Dynamic dielectric analysis (DDA), pp. 422–423, 430–431
Elasticity solution, pp. 226–230

Elastodynamic modeling, pp. 398, 402–404
Elliptic parabolic failure criterion (EPFC), pp. 568–574, 610–616
Energy absorption, pp. 306, 308–309
Epoxy resin, p. 312
Facesheet, p. 271
Failure behavior, p. 601
Fiber buckling, p. 147
Fiber kinking, p. 418
Fibers, graphite, p. 540
Fibers, third directional kevlar (TDKF), pp. 549, 551–552, 555
Finite difference formulation, pp. 460–461
Finite element, pp. 446–451
Fracture behavior, pp. 57–66
Fracture energy, p. 183
Fracture toughness, p. 168
Glass transition temperature, pp. 125–126
Halpin-Pagano laminate analogy, pp. 474–475
HST-7, pp. 136, 141–145
Hybrid laminates, pp. 464, 468–469
Hygrothermal effects, pp. 106–107
Hygrothermal expansion, pp. 41–42
Impact alleviation tests, p. 303
Impact properties, of foam cores, pp. 275–277
Impact resistance, of sandwich panels, p. 432
Indentation, static, p. 458
Instrumented impact tester, pp. 272, 275
Integrated composite analyzer (ICAN) program, p. 5
Interlaminar fracture, p. 96
Interlaminar separation, p. 550
Interlaminar stresses, pp. 84–86
Interleaves, pp. 464, 466–469
Iosipescu shear test, pp. 413–416
Isothermal curing, pp. 425–427
Isotropic behavior, pp. 151–153
Laminate, single-ply, p. 565
Laminate plate theory, p. 461
Load-end shortening curves, pp. 303–308
Matrix modification, pp. 327–331
Matrix shearing, p. 415
Mechanical properties, of multidirectional fiber composites, pp. 538, 549, 561
Microcracking, pp. 21–22
Micromechanical theory, pp. 153–156
Microscopy, of orthopaedic plastics, pp. 173–179
MIL-STD-401B, p. 336
Mode III, pp. 93–94, 96
Modulus
  longitude shear, pp. 110–111, 118, 119
  transverse tensile, pp. 116–117
Multi-point constraints, pp. 6–7
Nahme number, p. 368
Neodymium: glass laser, p. 261
Nonlinear response, of aramid/epoxy composite, pp. 415, 419
Numerical method, pp. 360–363
Open hole specimen, pp. 137–138
Optical numeric volume fraction analysis (ONVfA), pp. 627, 629–632
Orthopaedic plastics, pp. 167, 180
Paperboard, failure loci for, pp. 616–625
Permittivity calculation, for thermoset resins, pp. 423–425
Polyester resin, unsaturated, pp. 422, 428
Poly(ether ether ketone) (PEEK), pp. 135–136, 141–143, 314–315, 318–320
Polyethylene, glass fiber reinforced, pp. 476, 478, 481–482
Poly(methyl methacrylate), p. 167
Polypropylene, glass fiber reinforced, pp. 476, 478–480
Polyurethane, reinforced reaction injection molded, p. 19
Polyvinyl chloride, pp. 219, 275–277
Poly(vinylidene fluoride) (PVDF), pp. 314–315, 318, 321–322
Quadratic criterion, pp. 584–589
Rohacell plastic, pp. 432, 438–440
Rubber toughening
  of modified epoxy resins, p. 327
  of 3-D laminates, pp. 542, 553
Sandwich construction, p. 335
Sandwich panel, p. 432
Shear, interlaminar, pp. 458, 470
Shear crippling, pp. 138, 140–142, 146
Shell theory, pp. 212–226
Shock wave pressure, pp. 260, 262
Slider-crank mechanism, pp. 399–400
Spallation, pp. 260, 262–264
Split cantilever beam (SCB), pp. 93–96
Static properties, of structural core materials, p. 334

Strain energy, pp. 565, 577–582
Strain energy release rate, pp. 8–9
Stream function, pp. 359–360
Strength
  longitudinal compressive, pp. 113–114, 124–125
  longitudinal shear, pp. 122–123
  shear, p. 112
  transverse tensile, pp. 111–112, 120–121
Structural core panels, p. 335
Tearing (mode III) loading, p. 92
Thermal expansion, coefficient of, pp. 235–236, 238–239, 242, 472, 477–478
Thermal stress, p. 241
Thermoset resins, p. 422
Thesis listings, fibre reinforced plastics
  1984, pp. 189–210
  1985, pp. 488–510
  1986, pp. 510–535
Three point bending, pp. 69–70, 316
Transtropic materials, pp. 605–609
Transverse stress, in composite shell structures, pp. 446–447
Void volume, in continuous fiber composites, p. 630
Volume fraction, pp. 627, 630, 633–635
Wet stitching, pp. 544, 557, 561

AUTHOR INDEX

Aboudi, J., p. 150
Baer, E., p. 18
Basu, R., p. 167
Bernard, M. L., p. 432
Bouadi, H., p. 40
Bradley, W. L., p. 133
Chamis, C. C., pp. 2, 370
Chang, F.-K., p. 106
Chen, S. J., p. 358
Cheng, J. S., p. 358
Chow, C. L., p. 55
Chung, W. C., p. 538
D'Acquisto, J., p. 398
Daoust, J., p. 584
Donaldson, S. L., p. 91
Drzal, L. T., p. 627
Eliezer, S., p. 259
Engblom, J. J., p. 446
Engdahl, R. A., p. 106
Feichtinger, K. A., p. 334
Fuehne, J. P., p. 446
Gilath, I., p. 259
Godfrey, J. J., p. 422
Gorji, M., p. 232
Griffin, O. H., p. 299
Gurdal, Z., p. 410
Guynn, E. G., p. 133
Hamdallah, J. M., p. 446
Haverty, P., p. 422
Herakovich, C. T., p. 410
Hidde, J. S., p. 410
Hiltner, A., p. 18
Hoa, S. V., pp. 212, 584
Hoff, M., p. 422
Hoffman, R. D., p. 422
Huber, L., p. 18
Hwang, L. R., p. 312
Jang, B. Z., pp. 270, 312, 538
Johnson, E. R., p. 299
Kau, C., p. 18
Kranbuehl, D., p. 422
Lagace, P. A., p. 432
Liau, J. Y., p. 312
Mall, S., p. 91
Mannarino, G., p. 212
Mirzadeh, F., p. 232
Murthy, P. L. N., pp. 2, 370
Pindera, M.-J., p. 410
Prucz, J. C., p. 398
Sankar, B. V., p. 458
Sensmeier, M. D., p. 299
Shahid, I., p. 106
Shih, W. K., pp. 270, 312, 538
Shu, Y. H., p. 358
Smith, J., p. 398
Starbuck, J. M., p. 410
Summerscales, J., pp. 185, 484
Sun, C. T., p. 40
Tatistcheff, E. M., p. 472
Theocaris, P. S., pp. 565, 601
Waterbury, M. C., p. 627
Weisshaus, H., p. 259
Wilt, T. E., p. 2
Xian, X. J., p. 55
Yalvac, S., p. 472
Ye, L., p. 79